Dispensing Taps & Fitments

For flexible and rigid packaging solutions



liquibox®
Now part of SEE

worldwide dispensers™

Table of Contents

About Liquibox 3
Our Approach
Companies We Serve
Sustainability

Latest Innovations 6

Key Product Overview 7

Bag-in-box 8

Dispensing Urns 50

IBC 52

Rigid Containers 56

Bottles 66

Symbol Glossary

EU Manufactured Region

Tamper Evidence

UHT Aseptic-capable

R Recycle-ready

M Mono-material



About Liquibox®

Liquibox, now part of SEE®, is a global leader in liquid packaging, filling, and dispensing—working in partnership with customers to create a safer and more sustainable future. Liquibox is committed to delivering high-quality, innovative flexible packaging solutions designed to optimize your product dispensing needs. With a global presence, we provide responsive local support, ensuring you have access to our expertise whenever and wherever you need it. Our unmatched product range includes bag-in-box flexible packaging and filling equipment, along with dispensing solutions for both rigid and flexible packaging. SEE, achieving $5.6 billion in sales in 2022, employs approximately 17,300 dedicated individuals, including our Liquibox team, serving customers in 120 countries and territories.

Inspiring Change

With over 60 years' experience in dispensing solutions for liquids, at Liquibox we are constantly challenging the status quo and looking for innovative ways to improve or rethink the markets and applications we serve. From beverages and liquid food to industrial fluids, we design our innovative dispensing solutions with the mission to make every consumer experience enjoyable, consistent, and safe, all while minimizing the impact on the environment.

Global Reach

Our global footprint positions Liquibox as an ideal partner for global companies and for players looking to expand globally in beverage, liquid food and non-food industries. With operations spanning North America, Europe and Australasia, and a network of agents and distributors around the world, including in Asia and South Africa, we can design and manufacture components in-house to quickly bring our customers the custom and standard solutions they need.

Our Approach

We design our innovative solutions with the mission to make every user experience enjoyable, consistent, and safe, all while minimizing the environmental impact. Combining material innovations with industry-leading service, we provide value and efficiency precisely where you need it most.

Injection Molding & Assembly

Our state-of-the-art, automated, high-precision injection molding equipment and extensive experience in injection molding and custom assembly allow us to provide the highest quality and best-value components. As experts in liquid dispensing, we consider all facets of performance, including viscosity ranges, oxygen barrier, air return, flow rate, leakage, tamper resistance, controlled dosing, extended shelf life, and temperature resistance.

Quality You Can Rely On

Quality is something you can always count on at Liquibox. Our labs are fitted with the latest testing equipment technologies to meet the highest sanitation, hygiene, and safety standards for all our products and services. All our packaging solutions conform to current FDA and European food contact legislation, along with SQF, BRC, and Kosher and Halal certifications.

Aseptic Expertise

Liquibox offers a wide range of aseptic-capable fitment and tap options designed to meet the needs of this growing market segment. With both low and high-acid fitments available, Liquibox can supply a wide variety of product applications globally. The Liquibox Engineering and I&D teams work closely to ensure optimum performance on the multiple filling equipment platforms marketed worldwide for aseptic applications.

Custom Design Capabilities

Our approach to innovation is simple—we listen to you and your customers to fully understand your needs and deliver a solution that integrates seamlessly with your processes, maximizes efficiency, delivers sustainable performance and offers comprehensive branding opportunities through a range of color variations. Our experts have a wealth of experience in packaging design and are ready to co-create innovative, functional, and cost-effective solutions with you.

Companies We Serve

Developed for a More Sustainable Future

As a responsible producer and leader in sustainable packaging, we are dedicated to minimizing the environmental footprint across our entire portfolio of offerings.

Beyond the essential function of our dispensing solutions to reduce product waste by preventing leakage and extending shelf life, fitments are fundamental to achieving a fully sustainable packaging solution. Sustainability criteria are taken into account from the early design stages to ensure that our fitments and taps fit industry guidelines and support customer initiatives. Aligned with our company-wide sustainability commitments, we aim to develop fitments that meet one or more of the following elements:

Reduce Material Use

We work to eliminate any unnecessary material by designing fitments that are lightweight and compact. From new designs to improving our well-known offerings, we strive to reduce as much waste as possible.

Designed for Recycling and Recovery

Innovative mono-material fitment designs promote compatibility between the bag and the fitment which enables consumers to recycle the full solution. From the material used to the shape and size of our fitments and caps, recyclability guidelines are always considered from the early development stages.

In line with our commitment to recycle-ready packaging solutions, Liquibox collaborates closely with Institute cyclos-HTP, an institute specializing in recyclability and product responsibility, to undergo detailed assessments and certifications for our products.

Use Materials with Minimal Impact on the Environment

We are actively working on incorporating regrind and other recycled content where acceptable therefore reducing the virgin material that is needed for our fitments.



Latest Innovations



TruTap Mono-material

The popular bag-in-box dispensing tap, TruTap, is now available in polyethylene, helping organizations meet their sustainability goals by improving sortability in recycling streams.

The tap features an easily controllable twist mechanism for single-handed dispensing and precision valve shut-off, ensuring no post-drip or splash, making it the perfect solution for liquids requiring a smooth and uniform flow.



VINIflow® Secure & VINIflow® Secure SBE

This recycle-ready version of the successful VINIflow® dispensing tap features integrated tamper protection. Designed to comply with the European single-use plastics directive, it actively contributes to the mitigation of plastic litter.

This new tap is available globally for a wide range of industries in aseptic, standard and short-back-end versions for both bag-in-box and stand-up pouches.



Universal Self-Sealing Cap

A new hygienic fitment for closed-loop dairy dispensing systems that protects customers' experience, saves QSR operator's time and allows for drastic reductions in food and packaging waste. It is backward compatible with all dairy dispenser connectors, probes and adapters and is designed for recycling in existing PE streams.



Key Product Overview

	Manufactured in*	Aseptic-capable	Fitment Type	Typical Applications		
				Beverage	Liquid Food	Non-Food
Bag-in-box						
QuickServe®	EU		Lever Taps	●	●	●
TruTap	USA		Twist Taps	●	●	●
Liqui-Sure®	USA	●	Self-Closing Taps	●	●	●
VINIflow® Secure	EU	●	Self-Closing Taps	●	●	●
Wrightseal	APAC		Self-Closing Taps	●	●	
Tamper Evident Screw Cap	EU	●	Caps	●	●	●
Universal Self-Sealing Cap	EU	●	Caps	●	●	
Intasept® Spouts	EU/APAC	●	Spouts & Assemblies	●	●	
Aseptic Flip Cap	USA	●	Spouts & Assemblies	●		
Flip-N-Seal® Dairy Flip Cap Assembly	USA		Spouts & Assemblies	●		
Dispensing Urns						
ValuTap	USA		Twist Taps	●		
Recycle-ready Urn-liner Tube	USA		Tube Caps & Adapters	●		
Tea Urn Spigot - Safe Touch	USA		Accessories	●		
Intermediate Bulk Containers (IBC)						
350TA (2" Elpo)	USA	●	Spouts & Assemblies		●	
StarAsept Spout	USA	●	Spouts & Assemblies		●	
Rigid Containers						
Aeroflow®	EU		Lever Taps	●	●	●
Jumbo	EU		Lever Taps	●	●	●
QuickServe®	EU		Lever Taps	●	●	●
Water Butt	EU		Lever Taps	●		●
Smooth Flow	EU		Lever Taps	●	●	●
Cooler Tap	USA		Self-Closing Taps	●		
Bottles						
Detergent Tap	USA		Self-Closing Taps			●
UpTap®	EU		Self-Closing Taps	●	●	

*Most of our taps and fitments are available globally, regardless of the region where they are manufactured. Please contact us to discuss your needs.

Bag-in-box
Lever Taps



QuickServe® (QST)
CA-252402

Description
Easy-action lever tap with safe and convenient glug-free dispensing.

Size
8mm spigot opening

Back-end Type
38mm screw ring, thread pitch 3mm

Recommended Parts
C-201506, 38mm thread

EU



QuickServe® (QST)
CA-253404

Description
Easy-action lever tap with safe and convenient glug-free dispensing.

Size
8mm spigot opening

Back-end Type
38mm screw ring, thread pitch 4mm

Recommended Parts
C-201506, 38mm thread

EU



QuickServe® (QST)
CA-255101

Description
Easy-action lever tap with safe and convenient glug-free dispensing.

Size
8mm spigot opening

Back-end Type
Push-in

Recommended Parts
C-201529, C-201662 and customer caps, "cut" version of molded part code CIA-201000

EU



Jumbo
CA-250450

Description
Lever tap ideal for more viscous liquids.

Size
18mm spigot opening

Back-end Type
38mm screw ring

Recommended Parts
C-201506, 38mm thread

EU

Bag-in-box
Twist Taps



TruTap
CA-800883

Description
New! The mono-material top-twist tap has an excellent oxygen barrier and precision valve shut off and meets sustainability guidelines to create complete circular economy packaging solutions.

Size
7mm spigot opening

Back-end Type
Push-in

Recommended Parts
C-800360

USA

Maxi-Flow HR
CA-ITW-MFT

Description
A high-flow, gravity-fed lever tap.

Back-end Type
Snap-on

Recommended Parts
C-ITW-TS

USA

Liquibox manufactures bag-in-box bags, fitments and filling machines in-house, which allows us to design a total packaging solution to meet every need and go to market smoothly and quickly.

Bag-in-box

Self-Closing Taps



Liqui-Sure®
CA-LS5-BR

Description
The new version of the popular dispensing tap offers enhanced sustainability while maintaining an excellent oxygen transmission rate and optimized directional flow.

Size
8.9mm spigot opening

Back-end Type
Push-in

Recommended Parts
C-LS5-SPOUT

USA



Liqui-Sure®
CA-LS5-NB

Description
The new version of the popular dispensing tap offers enhanced sustainability while maintaining an excellent oxygen transmission rate and optimized directional flow.

Size
8.9mm spigot opening

Back-end Type
Push-in

Recommended Parts
C-LS5-SPOUT

USA



VINIflow® Secure
CA-302957

Description
New! Recycle-ready (Cyclos cert. no. 499-2023-003968) and features fully integrated tamper evidence, compliant with EU single-use plastics directive. It's also suitable for hot fill.

Size
9mm spigot opening

Back-end Type
Push-in

Recommended Parts
C-201662, C-201663, C-201664

Compatible Connectors
May be compatible with commercially available connectors.

EU



VINIflow® Secure w/ TE Seal
CA-302959

Description
New! Aseptic-capable tap with integrated tamper protection is designed to comply with the EU single-use plastics directive. Due to its TE seal, the tap prevents external contamination of the product.

Size
9mm spigot opening

Back-end Type
Push-in

Recommended Parts
C-201662, C-201663, C-201664

Compatible Connectors
May be compatible with commercially available connectors.

EU UHT



VINIflow® Secure SBE
CA-302958

Description
New! Recycle-ready (Cyclos cert. no. 499-2023-003968) and features fully integrated tamper evidence, compliant with EU single-use plastics directive. The short back-end minimizes oxygen exposure to extend product shelf-life, and reduces plastic use.

Size
9mm spigot opening

Back-end Type
Push-in

Recommended Parts
C-201651

Compatible Connectors
May be compatible with commercially available connectors.

EU



VINIflow® Secure SBE w/ TE Seal
CA-302960

Description
New! Aseptic-capable tap featuring fully integrated tamper protection. The short back-end minimizes oxygen exposure and reduces plastic use. Due to its TE seal, the tap prevents any potential external contamination of product.

Size
9mm spigot opening

Back-end Type
Push-in

Recommended Parts
C-201662, C-201663, C-201664

Compatible Connectors
May be compatible with commercially available connectors.

EU



VINIflow®
CA-302961

Description
This top-selling dispensing tap now comes with improve oxygen transmission rate. Recommended for formats over 3L or for use outside the EU due to the single-use Plastics Directive. Also available with a TE seal.

Size
9mm spigot opening

Back-end type
Push-in

Recommended parts
C-201662, C-201663, C-201664

Compatible connectors
May be compatible with commercially available connectors.

EU



VINIflow® SBE
CA-302962

Description
This short back-end version offers improved oxygen transmission and reduced plastic usage. Recommended for formats over 3L or for use outside the EU due to the Single-Use Plastics Directive. Also available with a TE seal.

Size
9mm spigot opening

Back-end Type
Push-in

Recommended Parts
C-201662, C-201663, C-201664

Compatible Connectors
May be compatible with commercially available connectors.

EU

Bag-in-box

Self-Closing Taps



VINItap w/ TE seal
CA-302097

Description
Top-push tap with an excellent oxygen transfer rate, automatic version.

Size
9.5mm spigot opening

Back-end Type
Push-in

Recommended Parts
C-201529

Compatible Connectors
CA-304008

EU



High Flow Press Tap
CA-302098

Description
Top-push press tap with optimized directional flow.

Size
13.5mm spigot opening

Back-end Type
Push-in

Recommended Parts
C-201529

EU





Detergent Tap
CA-800560

Description
Top push tap offers excellent directional flow, and no post-drip. The auto shut-off valve provides a robust seal.

Size
16mm spigot opening

Back-end Type
Push-in

Recommended Parts
C-800360.02A

USA



Detergent Tap
CA-800590

Description
Top push tap offers excellent directional flow, and no post-drip. The auto shut-off valve provides a robust seal.

Size
16mm spigot opening

Back-end type
Push-in

Recommended parts
C-800360

USA

Bag-in-box
Self-Closing Taps



Toggle Tap Valve
C-T215

Description
Good directional flow and ergonomic design for easy and convenient dispensing by the consumer.

Size
13.46x6.47mm spigot opening

Back-end Type
Snap-on

Recommended Parts
C-B1S

USA



Wrightseal
C-1040447

Description
Pierceable tap designed for aseptic back membrane seals of 16mm Intasept® spout with front push tap.

Size
16.2mm piercer

Back-end Type
Push-in

Recommended Parts
CA-408463, CA-4040199T, 16mm spout

APAC

"Liquibox's product development team uses a 'Voice of the Customer' approach to continuously improve the end user experience.

Using advanced engineering tools like computer-aided design and finite element analysis, we are committed to creating sustainable, recycle-ready fitment solutions."

- Craig F. Knaack, Vice President, I&D – Fitments

Bag-in-box
Caps



Screw Cap Assembly w/ Membrane
CA-408685

Description
Adapter body with tamper evident pull ring. Developed for ambient temperatures.

Size
25.2mm ID

Back-end Type
Push-in

Recommended Parts
CIA-201608, CIA-201612, CIA-201613, CIA-201618, CIA-201622, CIA-201679

EU UHT



Screw Cap Assembly w/ Membrane
CA-408604

Description
Adapter body with tamper evident pull ring. It can withstand high temperatures.

Size
25.2mm ID

Back-end Type
Push-in

Recommended Parts
CIA-201608, CIA-201612, CIA-201613, CIA-201618, CIA-201622, CIA-201679

EU UHT



Tamper Evident Screw Cap
CA-408650

Description
Aseptic-capable adapter with an external tamper evident ring.

Size
26.4mm ID

Back-end Type
Push-in

Recommended Parts
CIA-201608, CIA-201612, CIA-201613, CIA-201618, CIA-201622, CIA-201679

EU UHT



Tamper Evident Screw Cap
CA-408651

Description
Aseptic-capable adapter with an external tamper evident ring.

Size
26.4mm ID

Back-end Type
Push-in

Recommended Parts
CIA-201608, CIA-201612, CIA-201613, CIA-201618, CIA-201622, CIA-201679

EU UHT

Bag-in-box

Caps



Snap Cap
CIA-200230

Back-end Type
Snap-on

Recommended Parts
CIA-201612, CIA-201613, CIA-201618, CIA-201622

EU



Snap Cap
CIA-200234

Back-end Type
Snap-on

Recommended Parts
CIA-201612, CIA-201613, CIA-201618, CIA-201622

EU

Snap Cap
C-200245

Back-end Type
Snap-on

Recommended Parts
CIA-201612, CIA-201613, CIA-201618, CIA-201622

EU

Snap Cap
CIA-200247

Back-end Type
Snap-on

Recommended Parts
CIA-201612, CIA-201613, CIA-201618, CIA-201622

EU

Snap Cap - High Temperature
C-200233

Back-end Type
Snap-on

Recommended Parts
CIA-201608, CIA-201613, CIA-201618, CIA-201622

EU



Snap Cap - Two Stage
CIA-200242

Back-end Type
Snap-on

Recommended Parts
CIA-201608, CIA-201613, CIA-201618, CIA-201622

EU

Entapack® M15 Snap Cap
200538592

Size
30mm

Back-end Type
Snap-on

APAC



Entapack® M159 Snap Cap
200538692

Size
30mm

Back-end Type
Snap-on

APAC



708 Flat Cap
C-708

Back-end Type
Snap-on

Recommended Parts
C-1527-FL2, C-287, C-DST

USA



708 Flat Cap
C-708RED

Back-end Type
Snap-on

Recommended Parts
C-1527-FL2, C-287, C-DST

USA



708 Flat Cap
C-708BLUE

Back-end Type
Snap-on

Recommended Parts
C-1527-FL2, C-287, C-DST

USA




E700 Flat Cap
C-E700NAT

Back-end Type
Snap-on

Recommended Parts
Shipped assembled CA-E100-E700

USA



E700 Flat Cap
C-E700RED

Back-end Type
Snap-on

Recommended Parts
Shipped assembled CA-E100-E700R

USA

Bag-in-box

Caps



Cap 848B
CIA-200204

Back-end Type
Snap-on

Recommended Parts
CIA-201608, CIA-201613, CIA-201618, CIA-201622

EU M



Cap 850R
CIA-200206

Back-end Type
Snap-on

Recommended Parts
CIA-201608, CIA-201613, CIA-201618, CIA-201622

EU M



Entapack® M18 Cap
200538593

Size
32mm

APAC M



Entapack® M80 Cap
200538606

Description
For high-temperatures.

Size
32mm

APAC M



Entapack® M86 Plug Cap
200538608

Size
2”

APAC M



Entapack® M147 Elpo Plug
200538659

Size
1”

APAC M



Entapack® M104-1 Ringo Tamper Evident Plug
200538658

Size
38mm

APAC M



Entapack® M104 Ringo Tamper Evident Plug
200538545

Size
38mm

APAC M



Universal Self-Sealing Cap
CA-408700

Description
New! Recycle-ready (Cyclos cert. no. 2499-2024-004113) and aseptic-capable dispensing fitment with Lift ‘n’ Peel™ seal for closed-loop dairy dispensing systems that prevents leaks and maintains product integrity.

Size
0.5”/12.7mm probe

Back-end Type
Snap-on

Compatible Connectors
Compatible with a wide range of connectors, probes and adapters in various closed loop dispense systems.

EU UHT R



Universal Self-Sealing Cap
CA-408701

Description
New! Recycle-ready (Cyclos cert. no. 2499-2024-004113) and aseptic-capable dispensing fitment with Lift ‘n’ Peel™ seal for closed-loop dairy dispensing systems that prevents leaks and maintains product integrity.

Size
0.5”/12.7mm probe

Back-end Type
Snap-on

Compatible Connectors
Compatible with a wide range of connectors, probes and adapters in various closed loop dispense systems.

EU UHT R

The new Universal Self-Sealing Cap is a more sustainable fitment compatible with a variety of dispensing machines in QSRs and all existing bag-in-box connectors in FDM, blended ice, coffee and milk machines.

The complete fitment can be recycled in existing recycling streams due to a fully mono-material composition.

Bag-in-box
Pouring Caps



Pouring Cap - Long
C-200211

Description
Mono-material with an aseptic-capable adapter body and tamper evident pull ring.

Size
27mm ID

Back-end Type
Push-in

Recommended Parts
CIA-201608, CIA-201612, CIA-201613, CIA-201618, CIA-201622

EU UHT



Pouring Cap - Long
C-200212

Description
Mono-material with an aseptic-capable adapter body and tamper evident pull ring.

Size
27mm ID

Back-end Type
Push-in

Recommended Parts
CIA-201608, CIA-201612, CIA-201613, CIA-201618, CIA-201622

EU UHT



Pouring Cap - Long
C-200214

Description
Mono-material with an aseptic-capable adapter body and tamper evident pull ring.

Size
27mm ID

Back-end Type
Push-in

Recommended Parts
CIA-201608, CIA-201612, CIA-201613, CIA-201618, CIA-201622

EU UHT



Pouring Cap - Short
C-200213

Description
Mono-material with an aseptic-capable adapter body and tamper evident pull ring.

Size
27mm ID

Back-end Type
Push-in

Recommended Parts
CIA-201608, CIA-201612, CIA-201613, CIA-201618, CIA-201622

EU UHT

Bag-in-box
Spouts & Assemblies



Low Spout
CIA-201613

Description
Mono-material and developed to withstand high temperatures.

Size
30mm

EU



Low Spout
CIA-201608

Description
Mono-material and developed to withstand high temperatures.

Size
30mm

EU

Low Spout
CIA-201679

Description
Mono-material and developed for ambient temperatures.

Size
30mm

EU

Low Spout
CIA-201612

Description
Mono-material and developed for ambient temperatures.

Size
30mm

EU

Jaeger Spout
CIA-201642

Description
Mono-material and developed for ambient temperatures.

Size
30mm

EU

Milk Spout
C-201632

Description
Mono-material and developed for ambient temperatures.

Size
30mm

EU

Unique Spout
C-201523

Description
Mono-material spout.

Size
30mm

EU

LLDPE High Spout with no ratchet
C-201506

Description
Mono-material and developed for ambient temperatures.

Size
38mm thread

EU

Bag-in-box

Spouts & Assemblies

High Spout
CIA-201618

Description
Mono-material and developed for ambient temperatures.

Size
30mm

EU



High Spout
CIA-201622

Description
Mono-material and developed to withstand high temperatures.

Size
30mm

EU

High Spout
CIA-201682

Description
Mono-material and developed for ambient temperatures.

Size
30mm

EU

VINItap Spout
C-201529

Description
Mono-material and developed for ambient temperatures.

Size
28mm

EU

Universal Tall Threaded Spout
C-800014

Size
31mm ID, 38mm screw ring OD

USA

Universal Tall Threaded Spout (specifically CTG)
C-800592

Size
32mm ID, 38mm screw ring OD

USA

Tru-Seal Spout
C-ITW-TS

Description
Used with Tru-Seal taps

Recommended Parts
C-ITWJ, CA-ITW-MFT

USA



TruTap Bag-in-box Spout
C-800360

Size
29mm ID

Recommended Parts
CA-800350

USA

VINIflow® Spout
C-201662

Description
Mono-material and developed for ambient temperatures and hot fill.

Size
28mm

EU

VINIflow® Aseptic Spout
C-201663

Description
Mono-material and aseptic-capable for wide range of applications.

Size
28mm

EU UHT



VINIflow® Spout ESCR
C-201664

Description
Mono-material and ultra resistant, ideal for detergent products.

Size
28mm

EU



VINIflow® SBE Spout
C-201651

Description
Mono-material and offers a source reduction in plastic usage.

Size
28mm

EU



Entapack® M87 Plug Spout
200538609

Size
2"

APAC



Entapack® M143 Elpo Short Spout
200538687

Size
32mm

APAC

Entapack® M06 Short Spout
200538600

Size
32mm

APAC



Entapack® M139-1 Asept-E-Seal Spout w/ Membrane
200538678

Size
32mm

APAC UHT

Bag-in-box

Spouts & Assemblies



1527 Spout
C-1527-FL2

Description
Standard dairy spout compatible with snap-on cap.

Size
29mm ID

Recommended Parts
C-708 in various colors, C-393 and C-394 with various tubes

Compatible Connectors
CA-MPA2-UPR

USA



1527 Spout
C-1527-FL2BLUE

Description
Standard dairy spout compatible with snap-on cap.

Size
29mm ID

Recommended Parts
C-708 in various colors, C-393 and C-394 with various tubes

Compatible Connectors
CA-MPA2-UPR

USA



1527 Spout
C-1527-FL2GREEN

Description
Standard dairy spout compatible with snap-on cap.

Size
29mm ID

Recommended Parts
C-708 in various colors, C-393 and C-394 with various tubes

Compatible Connectors
CA-MPA2-UPR

USA



1527 Spout
C-1527-FL2RED

Description
Standard dairy spout compatible with snap-on cap.

Size
29mm ID

Recommended Parts
C-708 in various colors, C-393 and C-394 with various tubes

Compatible Connectors
CA-MPA2-UPR

USA

1527 Spout
C-1527-FL2NATURAL

Description
Standard dairy spout compatible with snap-on cap.

Size
29mm ID

Recommended Parts
C-708 in various colors, C-393 and C-394 with various tubes

Compatible Connectors
CA-MPA2-UPR

USA



1527 Spout
C-1527-FL2YELLOW

Description
Standard dairy spout compatible with snap-on cap.

Size
29mm ID

Recommended Parts
C-708 in various colors, C-393 and C-394 with various tubes

Compatible Connectors
CA-MPA2-UPR

USA



DST Spout
C-DST

Description
A modified 1527 spout designed to reduce flexing of the sealing flange. Compatible with snap-on cap.

Size
29mm ID

Recommended Parts
C-708 in various colors, C-393 and C-394 with various tubes

Compatible Connectors
CA-MPA2-UPR

USA



287 Extended Spout
C-287-FL2-YEL-UPR

Description
Standard dairy spout compatible with snap-on cap.

Size
29mm ID

Recommended Parts
C-708 in various colors, C-393 and C-394 with various tubes

Compatible Connectors
CA-MPA2-UPR

USA

Bag-in-box

Spouts & Assemblies

B1S Spout
C-B1S

Description
Spout that assemblies with a snap-on cap.

Size
29.1mm ID

Recommended Parts
C-T215, C-T115

Compatible Connectors
CA-MPA2-UPR

USA

B2S Spout
C-B2SGE2

Description
Threaded spout that assembles with a snap-on B2C cap. External threads allow various fitments to be screwed on to the spout for dispensing.

Size
29.1mm ID

Recommended Parts
B2CF

Compatible Connectors
C-B2STHCAP

USA

C-E100 Spout
C-E100

Description
Spout typically assembled with two position dispensing snap-on caps/taps for the beverage market. The E100 is also assembled with the E700, E300, and E800 for the dairy market.

Size
29.6mm ID

Recommended Parts
C-E700, C-E800 with various tubes, C-HV, C-HVD

Compatible Connectors
CA-MPA2-UPR

USA



C2000 Coke Spout
C-C2000

Description
Spout primarily used in the beverage market that couples with the Helical® to aid with product evacuation from the bag.

Size
29.1mm ID

Recommended Parts
C-HV, C-HVD

Compatible Connectors
Coke connectors

USA



US810 Spout
C-US810-FL2

Description
Spout used with various snap-on, flat and pouring caps.

Size
29.6mm ID

Recommended Parts
C-POURER-YEL

USA



SMC Spout
C-201605

Size
2"

EU

Every year, Liquibox molds billions of fitments that power bag-in-box systems around the globe.

Whether you are in the business of liquid food, beverages or chemicals, our job is to deliver your products safely to the end user.

Bag-in-box

Spouts & Assemblies



Screw Thru Cap - T7
C-4541671

Description

Mono-material spout and push through cap is designed to not detach into the bag.

Size

1”

Recommended Parts

Snap-on caps

Compatible Connectors

CA-250666

APAC



Elpo Plug Cap
CA-408408

Description

Low spout and plug for high-temperature applications.

EU UHT



US210-US2LA
CA-US210-US2LA

Description

Aseptic-capable fitment used for foods packaged on fillers with steam sterilization.

Size

29.76 mm spout ID

USA UHT



Low Spout + Snap Cap
CA-408448

Description

Mono-material assembly of Low Spout CIA-201612 and Snap Cap CIA-200247.

EU UHT



B2S Assembly
CA-B2SFLHD2-B2C

Description

Aseptic-capable fitment used for foods packaged on fillers with steam and chemical sterilization. For aseptic or non-aseptic applications.

Size

30.4mm spout ID

Compatible Connectors

C-B2STHCAP, Tomlinson 850 bulk dispenser valve 1000947, CPC-UDC connector

USA UHT



B2S Assembly
CA-B2SFLHD2-B2CB

Description

Aseptic-capable fitment used for foods packaged on fillers with steam and chemical sterilization. For aseptic or non-aseptic applications.

Size

30.4mm spout ID

Compatible Connectors

C-B2STHCAP, Tomlinson 850 bulk dispenser valve 1000947, CPC-UDC connector

USA UHT



B2S Assembly
CA-B2SFLHD2-B2CR

Description

Aseptic-capable fitment used for foods packaged on fillers with steam and chemical sterilization. For aseptic or non-aseptic applications.

Size

30.4mm spout ID

Compatible Connectors

C-B2STHCAP, Tomlinson 850 bulk dispenser valve 1000947, CPC-UDC connector

USA UHT

B2S Assembly
CA-B2SGE2-B2C

Description

Aseptic-capable fitment used for products packaged on fillers with no steam sterilization and where enhanced ESCR is required.

Size

30.4mm spout ID

Compatible connectors

C-B2STHCAP, Tomlinson 850 bulk dispenser valve 1000947, CPC-UDC connector

USA UHT

Bag-in-box

Spouts & Assemblies



Intasept® Spout
CA-408463

Description
Mono-material aseptic double-membrane spout, providing a sterile and completely sealed aseptic product transfer.

Size
16mm

Recommended Parts
Compatible with a wide variety of aseptic plugs and screw-on & snap-on caps

Compatible Connectors
CA-408671, CA-408642, CA-408646, CA-408201 + CA-408202, C-1040447

EU UHT



Intasept® Spout
CA-4040199T

Description
Mono-material aseptic double-membrane spout, providing a sterile and completely sealed aseptic product transfer.

Size
16mm

Recommended Parts
Compatible with a wide variety of aseptic plugs and screw-on & snap-on caps

Compatible Connectors
CA-408671, CA-408642, CA-408646, C-1040447

APAC UHT

Intasept® Spout
CA-408455

Description
Mono-material aseptic double-membrane spout, providing a sterile and completely sealed aseptic product transfer.

Size
32mm

Recommended Parts
Compatible with a wide variety of aseptic plugs and screw-on & snap-on caps

EU UHT



Intasept® Spout
CA-1042207T

Description
Mono-material aseptic double-membrane spout, providing a sterile and completely sealed aseptic product transfer.

Size
32mm

Recommended Parts
C-200237 and compatible with a wide variety of aseptic plugs and screw-on & snap-on caps

APAC UHT

Unique Intasept® Technology

Liquibox bag-in-box flexible packaging solutions are designed to maintain superior product quality while delivering the highest levels of safety and durability. Our patented two-part Intasept system is comprised of an aseptic double-membrane spout and filler, providing a sterile and completely sealed aseptic product transfer path when filling bag-in-box, without the use of chemical sterilizing agents.

Unlike other aseptic filling machines in the market, the specially designed Liquibox Intasept aseptic bag-in-box filling technology offers the security of heat-sealed closure both before and after filling, without using any chemical sterilant. During the fill process, the sterile product never encounters any surface or air space that has not been actively sterilized, ensuring maximum safety of your liquid products.





Encore® Fitment
CA-EN-PC-F

Description
Primarily a beverage dispensing fitment assembly with threads that connect to the Encore® connector.

Recommended Parts
CA-HEL14, CA-HEL8

Compatible Connectors
CC-EN-G, CC-EN-BR, CC-EN-O and may be compatible with commercially available connectors.

USA



Encore® Profile Channel Assembly
CA-EN-PC

Description
Primarily a beverage dispensing fitment assembly with threads for use with the Encore connector. Features a profile channel for better evacuation.

Recommended Parts
CP-DOWLEX

Compatible Connectors
CC-EN-G, CC-EN-BR, CC-EN-O and may be compatible with commercially available connectors.

USA

Bag-in-box

Spouts & Assemblies



DET
CA-DET

Description
Primarily a beverage dispensing fitment assembly that is compatible with a variety of connectors.

Recommended Parts
CA-HEL14, CA-HEL8

Compatible Connectors
CC-QCDII, CC-EN-G, CC-EN-BR, CC-EN-O and may be compatible with commercially available connectors.

USA



Q51H
CA-Q51H

Description
A beverage fitment assembly compatible with the Helical® system to aid with the evacuation of more viscous and pulpy liquid products.

Recommended Parts
CA-HEL14, CA-HEL8

Compatible Connectors
CC-QCDII and may be compatible with commercially available connectors.

USA



Q51A
CA-Q51A-QCD

Description
A beverage fitment assembly used with more viscous and pulpy liquid products.

Recommended Parts
CP-DOWLEX

Compatible Connectors
CC-QCDII and may be compatible with commercially available connectors.

USA



Dragon
CA-Dragon-TZF003

Description
Mono-material and an alternative to the Scholle 1900/ITW PMV.

Size
30mm

Compatible Connectors
May be compatible with commercially available connectors.

APAC

E100 / E700
CA-E100-E700

Description
An assembly of E100 low profile spout and E700 flat cap.

Size
29.6mm spout ID

Compatible Connectors
CA-MPA2-UPR

USA



E100 / E700
CA-E100-E700R

Description
An assembly of E100 low profile spout and E700 flat cap.

Size
29.6mm spout ID

Compatible Connectors
CA-MPA2-UPR

USA



Unique Bagside Valve
CA-407003

Description
Self-closing valve for post mix applications.

Size
28mm

Recommended Parts
C-201523

Compatible Connectors
CA-407203

EU



Dispense Ball Valve
C-ITWJ

Description
Ball valve assembly used in various dispensing applications.

Size
29.6mm spout ID

Recommended Parts
E100

USA

Bag-in-box

Spouts & Assemblies

C2000 and Coke Valve
CA-HC2000

Description
A post-mix dispensing fitment used with the Helical® system to aid with product evacuation.

Size
29.6mm spout ID

Compatible Connectors
Coke connectors

USA

C3000 and Diet Coke Valve
CA-HE100

Description
A post-mix dispensing fitment used with a profile channel to aid with product evacuation.

Size
29.6mm spout ID

Compatible Connectors
Coke connectors

USA



C3000 and Diet Coke Valve
CA-HDE-100

Description
A post-mix dispensing fitment designed for diet concentrate.

Size
29.6mm spout ID

Compatible Connectors
Coke connectors

USA



A100B 85HD15VLD2 with Aseptic Flip-N-Seal®
CA-A1B-AFC

Description
Flip cap can be closed to seal up the product in the bag.

Size
29mm spout ID (.5" orifice for .5 Dia. probes)

Recommended Parts
0.5" OD probe

Compatible Connectors
C-FCPROBE-NATHD, C-FC90PROBE-NAT

USA UHT



FL1 Spout with Aseptic Flip Cap
CA-A1LB-AFC

Description
The flip cap flipper can be closed when bag is not in use to prevent contamination from entering into the probe area. Used in non-steam-sterilized environments.

Size
29mm spout ID (.5" orifice for .5 Dia. probes)

Recommended Parts
0.5" OD probe

Compatible Connectors
C-FCPROBE-NATHD, C-FC90PROBE-NAT

USA UHT



FL1 Spout with Aseptic Flip Cap
CA-A1LR-AFC

Description
The flip cap flipper can be closed when bag is not in use to prevent contamination from entering into the probe area. Used in non-steam-sterilized environments.

Size
29mm spout ID (.5" orifice for .5 Dia. probes)

Recommended Parts
0.5" OD probe

Compatible Connectors
C-FCPROBE-NATHD, C-FC90PROBE-NAT

USA UHT



1527 Spout with Flip-N-Seal® Dairy Flip Cap Assembly
CA-FCB

Description
Dairy flip cap used in a variety of dispensing applications.

Size
29mm spout ID (.5" orifice for .5 Dia. probes)

Compatible Connectors
C-FCPROBE-NATHD, C-FC90PROBE-NAT

USA



1527 Spout with Flip-N-Seal® Dairy Flip Cap Assembly
CA-FCR

Description
Dairy flip cap used in a variety of dispensing applications.

Size
29mm spout ID (.5" orifice for .5 Dia. probes)

Compatible Connectors
C-FCPROBE-NATHD, C-FC90PROBE-NAT

USA

Bag-in-box

Tube Caps & Adapters for Dispensing Machines



Cap 700 + 160mm Tube
CTA-408681

Size
8mm ID tube

Back-end Type
Push-in

Recommended Parts
CIA-201679, CIA-201682

EU



Cap 700 + 170mm Tube
CTA-408608

Size
8mm ID tube

Back-end Type
Push-in

Recommended Parts
CIA-201679, CIA-201682

EU



Cap 700 + 190mm Tube
CTA-408631

Size
8mm ID tube

Back-end Type
Push-in

Recommended Parts
CIA-201679, CIA-201682

EU



Cap 700 + 210mm Tube
CTA-408626

Size
8mm ID tube


Back-end Type
Push-in

Recommended Parts
CIA-201679, CIA-201682

EU

Bag-in-box

Tube Caps & Adapters for Dispensing Machines



Cap 700 + 230mm tube CTA-408636

Size
8mm ID tube

Back-end Type
Push-in

Recommended Parts
CIA-201679, CIA-201682

EU



Cap 2000 + 190mm Tube CA-408640

Size
8mm ID tube

Back-end Type
Push-in

Recommended Parts
CIA-201679, CIA-201682, CIA-201642

EU



Cap 2000 + 230mm Tube CTA-408621

Size
8mm ID tube

Back-end Type
Push-in

Recommended Parts
CIA-201679, CIA-201682, CIA-201642

EU



Milk Cap Large Bore + 180mm Tube CA-408638

Size
12mm ID tube

Back-end Type
Push-in

Recommended Parts
CIA-201679, CIA-201682

EU




Milk Cap + 170mm Tube CTA-408620

Size
8mm ID tube

Back-end Type
Push-in

Recommended Parts
C-201632

EU



Milk Cap + 190mm Tube CTA-408623

Size
8mm ID tube

Back-end Type
Push-in

Recommended Parts
C-201632

EU



E800 Tube Cap + 5.5" Tube CTA-E800-5.5-857

Size
7.1mm tube nipple ID

Back-end Type
Snap-on

Recommended Parts
C-E100

USA



E800 Tube Cap + 10" Tube CTA-E800-10-857

Size
7.1mm tube nipple ID

Back-end Type
Snap-on

Recommended Parts
C-E100

USA

Bag-in-box

Tube Caps & Adapters for Dispensing Machines



393 Tube Cap + 8.5” Thinwall Tube
CTA-393-8.5TW-TR48

Size
6.8mm tube nipple ID

Back-end Type
Snap-on

Recommended Parts
C-1527, C-DST, C-287

USA



393 Tube Cap + 8.5” Tube
CTA-393-8.5-857

Size
6.8mm tube nipple ID

Back-end Type
Snap-on

Recommended Parts
C-1527, C-DST, C-287

USA



394 Tube Cap + 5.5” Thinwall Tube
CTA-394-5.5TW-TR48

Description
This tube dispenses at a low flow rate.

Size
3.8mm tube nipple ID

Back-end Type
Snap-on

Recommended Parts
C-1527, C-DST, C-287

USA



B2S Threaded Tube Cap + 8.5” Tube
CTA-B2ST-8.25

Description
Screws on to the B2S spout after the B2C cap is removed in the field.

Size
7.9mm tube nipple ID

Back-end Type
Screw-on

Recommended Parts
C-B2SGE2, C-B2SFLHD2

USA



Piercer + Silicone Tube Assembly
CA-408671

Description
Two part piercer assembly with silicone tube and the Katoplast tap. Dedicated for 16mm Intasept spout and suitable for use with peristaltic pumps.

Size
6.5mm ID tube

Back-end Type
Push-in

Recommended Parts
CA-408463

EU



Cap 2000 + Silicone Tube Assembly
CA-408673

Description
Silicone tube available in various lengths and wall thicknesses. Suitable for use with peristaltic pumps. Various plug colors available upon request.

Size
6.4mm ID tube

Back-end Type
Push-in

Recommended Parts
CIA-201679, CIA-201682, CIA-201642

EU

Bag-in-box

Line-side Connectors



Unique Line-side Connector CA-407203

Description
Line-side connector for use with commercial dispensing machines.

Back-end Type
Threaded / screw-on

Recommended Parts
CA-407003

EU



Encore® Line-side Connector CC-EN-G

Description
A screw-on connector that is used primarily in beverage dispensing that connects to our Encore and DET fitments.

Back-end Type
Threaded / screw-on

Recommended Parts
CA-EN, CA-EN-PC, CA-DET

USA



Encore® Line-side Connector CC-EN-O

Description
A screw-on connector that is used primarily in beverage dispensing that connects to our Encore and DET fitments.

Back-end Type
Threaded / screw-on

Recommended Parts
CA-EN, CA-EN-PC, CA-DET

USA



Encore® Line-side Connector CC-EN-BR

Description
A screw-on connector that is used primarily in beverage dispensing that connects to our Encore and DET fitments.

Back-end Type
Threaded / screw-on

Recommended Parts
CA-EN, CA-EN-PC, CA-DET

USA





QC/D® II (Quick Connect/ Disconnect) CC-QCDII

Description
Push/pull connector for dispensing of beverages from Q51, Q51H, DET, Rapak, Scholle FTC, and other post-mix fitments available in the market.

Back-end Type
Push-on

Recommended Parts
CA-DET, CA-Q51H, CA-Q51H-O, CA-Q51A-QCD

USA



VINItap Connector CA-304008

Description
Everopen connector for use with commercial dispensing machines.

Back-end Type
Threaded / screw-on

Recommended Parts
CA-302096

EU

Bag-in-box

Accessories



Flip-N-Seal® Straight Probe
C-FCPROBE-NATHD

Size
.5" probe body

Back-end Type
Push-in

Recommended Parts
CA-FCB, CA-FCR, CA-FC, CA-A1LR-AFC, CA-A1LB-AFC, CA-A1B-AFC

USA



Flip-N-Seal® 90 Probe
C-FC90PROBE-NAT

Size
.5" probe body

Back-end Type
Push-in

Recommended Parts
CA-FCB, CA-FCR, CA-FC, CA-A1LR-AFC, CA-A1LB-AFC, CA-A1B-AFC

USA



Encore® Connector with Adapter
CC-EN-G-W/ADAPTER

Description
Encore connector and adapter for use with Dragon Fitment, Scholle 1900, and ITW C-PMV2C Valve during a conversion to Encore.

Back-end Type
Threaded & tube nipple

Recommended Parts
CA-Dragon-TZF003 and may be compatible with commercially available parts.

USA



Encore® Connector with Flush Slider Assembly
CC-EN-G-W/FLSLIDER-FRAZ

Description
Encore connector and adapter for use with other suppliers' connectors during a conversion to Encore.

Back-end Type
Threaded & tube nipple

Recommended Parts
May be compatible with commercially available parts.

USA



3/4" BSP Nut
CIA-202015

Size
3/4" BSP

Recommended Parts
Fits any parallel thread 3/4" tap

EU

3/4" BSP Nut
CIA-202004

Size
3/4" BSP

Recommended Parts
Fits any parallel thread 3/4" tap

EU

Jumbo and Aeroflow® Tap Dust Cap
C-204678

Recommended Parts
Fits all Jumbo and Aeroflow® lever taps

EU



Aeroflow® Nozzle
C-204676

Recommended Parts
Fits all Jumbo and Aeroflow® lever taps

EU



Plug 28mm
C-202220

Recommended Parts
C-201529

EU

Sleeve - Mould
CIA-201000

Recommended Parts
CA-255101

EU



1" Washer
CX-201713

Recommended Parts
CA-250655, CA-250660, CA-250666, CA-251804, CA-255551, CA-255830

EU

Mix Pump Adapter Assembly
CA-MPA2

Back-end Type
Push-in and tube nipple

USA

Dispensing Urns



ValuTap
CA-800212

Description
Mono-material two piece tap that gets welded to an open top tea urn-liner.

Size
12mm opening

Back-end Type
Welded

USA



Mini Tea Tube Spout
C-800787

Size
15mm ID

Recommended Parts
C-800788, C-800748, CTA-800746, CTA-800797

USA



Urn-liner Tube w/ Adapter
CTA-800746

Size
8mm ID tube

Back-end Type
Push-in

Recommended Parts
C-800787

USA



Recycle-ready Urn-liner Tube w/ Adapter
CTA-800797

Description
New! Tube can be removed by pinching the adapter. Separating and disposing of the tube makes it even easier to recycle the mono-material urn-liner.

Size
8mm ID tube

Back-end Type
Push-in

Recommended Parts
C-800787

USA



Mini Tea Tube Adapter - Long
C-800748

Size
8mm ID tube

Back-end Type
Push-in

Recommended Parts
C-800787

USA



Mini Tea Tube Adapter - Short
C-800788

Size
8mm ID tube

Back-end Type
Push-in

Recommended Parts
C-800787

USA



Tea Urn Spigot
CA-800755

Description
Patented pinch tube spigot designed for accurate dispensing from tea urns.

Size
90˚

Back-end Type
Mating thread for tea dispensing urn

Recommended Parts
CTA-800746, CTA-800797

USA



Tea Urn Spigot - Safe Touch
CA-800761

Description
New! Patented spigot incorporates an antimicrobial handle to allow for safer handling of a high touch surface.

Size
90˚

Back-end Type
Mating thread for tea dispensing urn

Recommended Parts
CTA-800746, CTA-800797

USA

IBC
Caps



BSP Bung
C-5000096

Description
Mono-material bung to fit spout. Can be fitted with O ring.

Size
2”

Back-end Type
Screw-in

Recommended Parts
3/4” BSP threaded hole

APAC



BSP Bung
C-5000092

Description
Mono-material bung to fit spout. Can be fitted with O ring.

Size
2”

Back-end Type
Screw-in

Recommended Parts
3/4” BSP threaded hole

APAC



STK BSP Bung
C-5000078

Description
Mono-material bung with internal thread and knock out 28mm hole to fit spout.

Size
2”

Back-end Type
Screw-in

Recommended Parts
3/4” BSP threaded hole

APAC

Entapack® M09 BSP Screw Plug
200538610

Size
2”

Back-end Type
Screw-in

APAC



Entapack® M99 BSP Screw Plug
200538614

Size
2”

Back-end Type
Screw-in

APAC



Entapack® M118 Screw Plug
200538547

Size
2”

Back-end Type
Screw-in

APAC



Entapack® M97 BSP Screw Plug
200538612

Size
3”

Back-end Type
Screw-in

APAC



Entapack® M86 Plug Cap
200538608

Size
2”

APAC


IBC
Caps



Entapack® M147 Elpo Plug
200538659

Size
1”

APAC



Entapack® M80 Cap
200538606

Description
For high-temperatures.

Size
32mm

APAC

Entapack® M15 Snap Cap
200538592

Size
30mm

Back-end Type
Snap-on

APAC



Entapack® M159 Snap Cap
200538692

Size
30mm

Back-end Type
Snap-on

APAC

IBC
Valves, Spouts & Assemblies



Integral Valve S60 Type
CA-352102

Description
Lever operated IBC discharge valve with tamper evidence.

Size
2” / 50.8mm

Recommended Parts
CA-352104, CA-352105

EU




Integral Valve DIN50 Type
CA-352103

Description
Lever operated IBC discharge valve.

Size
2” / 50.8mm

Recommended Parts
CA-352104, CA-352105

EU




Hexagonal Base, Single Thread-Membraned Bung and Cutter
CA-4000004

Description
Discharge valve, membraned, fitted with cutter and plug. Spout is hexagonal base, BSP thread internal only.

Size
2”

APAC



Hexagonal Base, Twin Thread-Membraned with Bung and Cutter
CA-4000000

Description
Discharge valve, membraned, fitted with cutter and plug. Spout is hexagonal base, BSP twin internal and external thread.

Size
2”

APAC

IBC

Valves, Spouts & Assemblies



255TT Spout w/ Membrane
CA-255TTHD-M & CA-255TTGE-M

Description
A threaded bulk discharge spout with a membrane sealed to the bottom of the spout flange. This allows for dispensing valves to be connected at point of use. It is designed to run on Liquibox StarAsept® fillers.

Size
55.8mm spout ID

Recommended Parts
C-REIKE

Compatible Connectors
Banjo Valve UV204FPFD & Drum Major Valve for IBC

USA



350TA (2" Elpo)
C-350TA

Description
Aseptic-capable fitment used for bulk liquid packaging.

Size
50.8mm spout ID

Back-end Type
Push-in cap

USA UHT



255TT Double Threaded Spout
C-255TT & C-255TT-GE2

Description
A threaded bulk spout that consists of internal and external threads to allow for various caps and dispensing valves to be attached. Without the membrane, the spout is used as a fill spout with a Reike cap.

Size
55.8mm spout ID


Recommended Parts
C-REIKE

USA

BSP Spout
CIA-201503

Size
2"

EU



BSP Spout
CIA-201504

Size
2"

EU

BSP LLDPE Spout
C-600025

Size
2" BSP

USA



BSP HDPE Spout
C-952237

Size
2" BSP

USA



Hexagonal Base, Single Thread
C-5000061

Description
Standard hexagonal base, BSP thread internal only.

Size
2"

APAC



Hexagonal Base, Single Thread
C-5000029

Description
Standard hexagonal base, twin thread spout, internal and external threads.

Size
2"

APAC



Entapack® M143 Elpo Short Spout
200538687

Size
32mm

APAC



Entapack® M87 Plug Spout
200538609

Size
2"

APAC

IBC

Valves, Spouts & Assemblies



Entapack® M114 Asept-E-Seal Gland 200538645

Size
32mm

APAC UHT



Entapack® M119 BSP Dur-O-Gland 200538548

Size
2”

APAC

Entapack® M06 Short Spout 200538600

Size
32mm

APAC



Entapack® M76 External Thread Spout 200538604

Size
2”

APAC



Entapack® M139-1 Asept-E-Seal Spout w/ Membrane 200538678

Size
32mm

APAC UHT



Entapack® M140 Ster-E-Gland 200538685

Size
2”

APAC UHT

Entapack® M70 Locking Ring 200538602

Size
2”

APAC



Entapack® M123 Spout w/ Membrane 200538550

Size
3”

APAC UHT

63mm Aseptic Spout C-63MM

Description
Mono-material aseptic-capable bulk packaging fitment designed to run on FranRica™ fillers.

Size
48mm spout ID

Recommended Parts
C-63CAP, C-63SEAL

USA UHT

89mm Aseptic Spout C-89MM

Description
Mono-material aseptic-capable bulk packaging fitment designed to run on FranRica™ fillers.

Size
73mm spout ID

Recommended Parts
C-89CAP, C-89SEAL

USA UHT



StarAsept® Spout CA-STAR

Description
Aseptic-capable bulk packaging fitment that runs on a StarAsept® fillers.

Size
48mm spout ID

Back-end Type
Threaded

USA UHT

IBC
Accessories



STK Crown Cutter
C-5000097

Description
Mono-material cutter for use with membraned spout.

Size
2"

APAC



Entapack® M41 Perforator
200538599

Size
2"

APAC



Entapack® M98 Perforator
200538613

Size
3"


APAC



Entapack® M103 BSP Male Connector Nipple
200538544

Size
2"


APAC



C-Clip + Spanner
CA-352104

Recommended Parts
CA-352102, CA-352103

APAC



C-Clip + Spanner
CA-352105

Recommended Parts
CA-352102, CA-352103

EU



Entapack® M108 Locking Plate
200538546

Size
3"

APAC



Entapack® M90 Locking Plate
200538611

Size
2"

APAC



EU

Rigid Containers

Lever Taps



Aeroflow®
CA-251204

Description
Air-return lever tap for non-vented containers.

Size
18mm spigot opening

Back-end Type
Push-in with locking ring and washer for a 29mm clearance hole

Recommended Parts
Rigid containers with 29mm neck finish

EU



Aeroflow®
CA-251205

Description
Air-return lever tap for non-vented containers.

Size
18mm spigot opening

Back-end Type
Push-in with locking ring and washer for a 29mm clearance hole

Recommended Parts
Rigid containers with 29mm neck finish

EU



Aeroflow®
CA-251804

Description
3/4" short thread adapter air-return lever tap for non-vented containers.

Size
18mm spigot opening

Back-end Type
Screw-in

Recommended Parts
3/4" BSP taper thread socket, CX-201713

EU



Aeroflow®
CA-251402

Description
Air-return lever tap ideal for more viscous liquids.

Size
18mm spigot opening

Back-end Type
38mm screw ring

Recommended Parts
C-201506, 38mm thread

EU



Aeroflow®
CA-251445

Description
Air-return lever tap for non-vented containers.

Size
18mm spigot opening

Back-end Type
Screw ring DIN45

Recommended Parts
DIN45 screw thread

EU



Aeroflow®
CA-251450

Description
Air-return lever tap for non-vented containers.

Size
18mm spigot opening

Back-end Type
Screw ring DIN50

Recommended Parts
DIN50 Screw thread

EU



Aeroflow®
CA-251451

Description
Air-return lever tap for non-vented containers.

Size
18mm spigot opening

Back-end Type
Screw ring DIN51

Recommended Parts
DIN51 Screw thread

EU



Aeroflow®
CA-251452

Description
Air-return lever tap for non-vented containers.

Size
18mm spigot opening

Back-end Type
Screw ring DIN51

Recommended Parts
DIN51 Screw thread

EU

Rigid Containers

Lever Taps



Aeroflow®
CA-251461

Description
Air-return lever tap for non-vented containers.

Size
18mm spigot opening

Back-end Type
Screw ring DIN61

Recommended Parts
DIN61 Screw thread

EU



Aeroflow®
CA-251462

Description
Air-return lever tap for non-vented containers.

Size
18mm spigot opening

Back-end Type
Screw ring DIN61

Recommended Parts
DIN61 Screw thread

EU

We offer a variety of easy-action lever taps that allow end users to control product flow by turning the lever accordingly.

Optional air return allows for an effortless glug-free dispense from metal and plastic containers such as bottles, jerrycans, drums, barrels, cubitainers and more.



Water Butt
CA-406129

Description
Durable, smooth-action lever tap.

Size
9mm spigot opening

Back-end Type
3/4" BSP parallel thread

Recommended Parts
CIA-202015

EU



Water Butt
CA-406130

Description
Durable, smooth-action lever tap with washer and hose connect.

Size
9mm spigot opening

Back-end Type
3/4" BSP parallel thread

Recommended Parts
CIA-202015

EU



Water Butt
CA-406131

Description
Durable, smooth-action lever tap with two washers and nut, and hose connect.

Size
9mm spigot opening

Back-end Type
3/4" BSP parallel thread

EU



Jumbo
CA-250655

Description
Hex short thread air-return lever tap ideal for more viscous liquids.

Size
18mm spigot opening

Back-end Type
3/4" BSP tapered thread

Recommended Parts
Jerry cans with 3/4" BSP tapered holes

EU

Rigid Containers

Lever Taps



Jumbo
CA-250660

Description
Hex long thread air-return lever tap ideal for more viscous liquids.

Size
18mm spigot opening

Back-end Type
3/4" BSP parallel thread

Recommended Parts
CIA-202004

EU



Jumbo
CA-250667

Description
Hex long thread air-return lever tap ideal for more viscous liquids.

Size
18mm spigot opening

Back-end Type
3/4" BSP parallel thread

Recommended Parts
CIA-202015

EU



QuickServe® (QST)
CA-252402

Description
Easy-action lever tap with safe and convenient glug-free dispensing.

Size
8mm spigot opening

Back-end Type
38mm screw ring, thread pitch 3mm

Recommended Parts
C-201506, 38mm thread

EU



QuickServe® (QST)
CA-253404

Description
Easy-action lever tap with safe and convenient glug-free dispensing.

Size
8mm spigot opening

Back-end Type
38mm screw ring, thread pitch 4mm

Recommended Parts
C-201506, 38mm thread

EU



QuickServe® (QST)
CA-255101

Description
Easy-action lever tap with safe and convenient glug-free dispensing.

Size
8mm spigot opening

Back-end Type
Push-in

Recommended Parts
C-201529, C-201662 and customer caps, where it will need a "cut" version of code CIA-201000

EU



QuickServe® (QST)
CA-255830

Description
Easy-action lever tap with safe and convenient glug-free dispensing.

Size
8mm spigot opening

Back-end Type
Screw-in

Recommended Parts
3/4" BSP threaded hole + CX-201703 washer

EU



QuickServe® (QST)
CA-255551

Description
Easy-action lever tap with safe and convenient glug-free dispensing.

Size
8mm spigot opening

Back-end Type
Screw-in

Recommended Parts
3/4" BSP threaded hole

EU



Smooth Flow
CA-258007

Description
Compact air-return lever tap designed for small single-opening containers.

Size
12mm spigot opening

Back-end Type
Push-in

Recommended Parts
External customer caps 29mm hole, C-201529

EU

Rigid Containers

Lever Taps



Smooth Flow
CA-258464

Description
Compact air-return lever tap designed for small single-opening containers.

Size
12mm spigot opening

Back-end Type
38mm screw ring

Recommended Parts
C-201506, 38mm thread

EU



Smooth Flow
CA-258465

Description
Compact air-return lever tap designed for small single-opening containers.

Size
12mm spigot opening

Back-end Type
38mm screw ring

Recommended Parts
C-201506, 38mm thread

EU



Smooth Flow
CA-258475

Description
Compact air-return lever tap designed for small single-opening containers.

Size
12mm spigot opening

Back-end Type
38mm screw ring

Recommended Parts
C-201506, 38mm thread

EU



Smooth Flow
CA-258012

Description
Compact air-return lever tap designed for small single-opening containers.

Size
12mm spigot opening

Back-end Type
Snap fit for screw ring

Recommended Parts
CIA-200408, 38mm screw ring

EU



Rigid containers

Self-closing taps



Cooler tap
CA-302890

Description
Top push tap, typically used with water coolers.

Size
11mm spigot opening

Back-end Type
5/8" through hole

Recommended Parts
C-600037, C-800134

USA



Cooler tap
CA-604047

Description
Top push tap, typically used with water coolers.

Size
11mm spigot opening

Back-end Type
5/8" through hole

Recommended Parts
C-600037, C-800134

USA

Rigid Containers

Accessories



Washer
CX-201716

Size
28.2mm ID, 35mm OD, 1.6mm T

Recommended Parts
CA-255402, CA-258446, CA-258471

EU



Washer
CX-201717

Size
28.2mm ID, 35mm OD, 1.6mm T

Recommended Parts
CA-251402, CA-258475

EU



Washer
CX-201732

Size
25.4mm ID, 32mm OD, 4mm T

Recommended Parts
CA-250667, CA-257803, CA-406129, CA-406130, CA-406131

EU



Washer
CX-201733

Size
25.4mm ID, 32mm OD, 4mm T

Recommended Parts
CA-255552

EU



1" Washer
CX-201713

Recommended Parts
CA-250655, CA-250660, CA-250666, CA-251804, CA-255551, CA-255830

EU



3/4" BSP Nut
CIA-202015

Size
3/4" BSP

Recommended Parts
Fits any parallel thread 3/4" tap

EU

3/4" BSP Nut
CIA-202004

Size
3/4" BSP

Recommended Parts
Fits any parallel thread 3/4" tap

EU

Aeroflow® Nozzle
C-204676

Recommended Parts
Fits all Jumbo and Aeroflow® lever taps

EU



Aeroflow® Nozzle
C-204676

Recommended Parts
Fits all Jumbo and Aeroflow® lever taps

EU

Sleeve - Mould
CIA-201000

Recommended Parts
CA-255101

EU



Cooler Tap Nut
C-600037

Size
5/8" nut, 7/8" hex

Recommended Parts
CA-302890, CA-604047

USA

Cooler Tap Grommet
C-800134

Size
5/8" ID, 7/8" seal

Recommended Parts
CA-302890, CA-604047

USA

Bottles

Self-Closing & Push/Pull Taps



Detergent Tap
CA-800235

Description
Top push tap offers excellent directional flow, and no post-drip. The auto shut-off valve provides a robust seal.

Size
16mm spigot opening

Back-end Type
40mm screw ring

Recommended Parts
40mm custom neck finish

USA



Detergent Tap
CA-800238

Description
Top push tap offers excellent directional flow, and no post-drip. The auto shut-off valve provides a robust seal.

Size
16mm spigot opening

Back-end Type
40mm screw ring

Recommended Parts
40mm custom neck finish

USA

Detergent Tap

For more than 15 years, Liquibox has been a market leader in injection molded taps for laundry liquids and other similar products. We take pride in supplying the world's most popular detergent tap and being a trusted partner of the leading laundry care companies.

This durable self-closing top-push tap for laundry liquids combines style and convenience, adding value to the brand through its unique design. The tap offers user-friendly dispensing and excellent directional flow, and the auto shut-off valve provides a clean cut-off and robust seal.

We continue to build on our legacy and strive for innovative solutions for your packaging needs. Contact us to design a tailor-made dispensing solution to meet your application needs and sustainability goals.





UpTap®
CA-304505

Description
Lightweight air return press tap for single-handed dispensing from 5-10L (1-3G) lay-flat bottles.

Size
13x8.5mm spout opening

Back-end Type
Snap-on

Recommended Parts
48/41mm neck finish

EU



UpTap®
CA-304509

Description
Lightweight air return press tap for single-handed dispensing from 5-10L (1-3G) lay-flat bottles.

Size
13x8.5mm spout opening

Back-end Type
Snap-on

Recommended Parts
48/41mm neck finish

EU



Handi-Tap®
CA-HTN

Description
This user-friendly valve for Handi-Tap® rigid bottle allows for dispensing from any refrigerator or counter space.

Size
10mm spout opening


Back-end Type
Snap-on

Recommended Parts
Handi-Tap® rigid bottle

USA

We Are Where You Are

Our digitally connected global network reaches 120 countries and territories. Through our wired and physical operations, SEE® serves customers around the world, meeting their local needs 24/7.



Fitment manufacturing Other Liquibox facility

Visit **liquibox.com/worldwide-dispensers** | Contact **liquibox.com/contact-us**
Americas +1 320 395 2553 **EMEA** +421 37 285 2301 **Asia Pacific** +66 3 857 8771-5

© 2024 Sealed Air Corporation | All Rights Reserved

Rev. 072024-1